




OVAL HEAD




To order the heads use the pertaining code.

Please add to the heads code the one in the pictures to get the pertaining tensioners spare parts.

cod + RIC (TO NT)




cod + RICPE (TO1 P)




cod + P (TCP TRP RHP ORIENTP)







cod + TF (TF)



The (H) bore has to be made when you set the tensioner up.





Fisatech s.r.o., Hlavná 361/53, 076 64 Z. Teplica, tel.: 0908 135 761, e-mail: info@fisatech.sk www.fisatech.sk



COD	CHAIN PITCH		A	B	C	D	E	F	G	KG
TOTO138S	3/8" x 7/32"	06B1	70	20	34	35	6,5	10	20	0,037
TOTO138D	3/8" x 7/32"	06B2	70	20	34	35	6,5	10	20	0,037
TOTO112S	1/2" x 5/16"	08B1	70	20	34	35	6,5	10	20	0,037
TOTO112D	1/2" x 5/16"	08B2	70	20	34	35	6,5	10	20	0,037
TOTO158S	5/8" x 3/8"	10B1	70	20	34	35	6,5	10	20	0,037
TOTO158D	5/8" x 3/8"	10B2	70	25	34	35	6,5	10	20	0,046
TOTO1ASA35S	ASA35	06C.1	70	20	34	35	6,5	10	20	0,037
TOTO1ASA35D	ASA35.2	06C.2	70	20	34	35	6,5	10	20	0,037
TOTO1ASA40S	ASA40	08A.1	70	20	34	35	6,5	10	20	0,037
TOTO1ASA40D	ASA40.2	08A.2	70	25	34	35	6,5	10	20	0,046
TOTO258S	5/8" x 3/8"	10B1	90	22	44	46	8,5	14	22	0,067
TOTO258D	5/8" x 3/8"	10B2	90	25	44	46	8,5	14	22	0,077
TOTO234S	3/4" x 7/16"	12B1	90	22	44	46	8,5	14	22	0,067
TOTO234D	3/4" x 7/16"	12B2	90	30	44	46	8,5	14	22	0,092
TOTO21S	1" x 17 m\m	16B1	90	25	44	46	8,5	14	22	0,077
TOTO2ASA50S	ASA50	10A.1	90	22	44	46	8,5	14	22	0,067
TOTO2ASA50D	ASA50.2	10A.2	90	30	44	46	8,5	14	22	0,072
TOTO2ASA60S	ASA60	12A.1	90	22	44	46	8,5	14	22	0,077
TOTO31S	1" x 17 m\m	16B1	110	25	54	53	10,5	18,5	25	0,115
TOTO3114S	1"1/4 x 3/4"	20B1	110	25	54	53	10,5	18,5	25	0,115
TOTO3112S	1"1/2 x 1"	24B1	110	25	54	53	10,5	18,5	25	0,115
TOTO3ASA80S	ASA80	16A.1	110	25	54	53	10,5	18,5	25	0,115
TOTO3ASA100S	ASA100	20A.1	110	25	54	53	10,5	18,5	25	0,115
TOTO3ASA120S	ASAS120	24A.1	110	25	54	53	10,5	18,5	25	0,115

ROUND HEAD







To order the heads use the pertaining code.

Please add to the heads code the one in the pictures to get the pertaining tensioners spare parts.


cod + RIC (TO NT)




cod + RICPE (TO1 P)





cod + P (TCP TRP RHP ORIENTP)





cod + TF (TF)






The (H) bore has to be made when you set the tensioner up.


Fisatech s.r.o., Hlavná 361/53, 076 64 Z. Teplica, tel.: 0908 135 761, e-mail: info@fisatech.sk www.fisatech.sk


COD	CHAIN PITCH		A	B	C	D	E	F	G	KG
TTO138S	3/8" x 7/32"	06B1	70	20	34	35	6,5	10	20	0,037
TTO138D	3/8" x 7/32"	06B2	70	20	34	35	6,5	10	20	0,037
TTO138T	3/8" x 7/32"	06B3	70	26	34	35	6,5	10	20	0,041
TTO112S	1/2" x 5/16"	08B1	70	20	34	35	6,5	10	20	0,037
TTO112D	1/2" x 5/16"	08B2	70	20	34	35	6,5	10	20	0,037
TTO112T	1/2" x 5/16"	08B3	70	34,5	34	35	6,5	10	20	0,055
TTO158S	5/8" x 3/8"	10B1	70	20	34	35	6,5	10	20	0,037
TTO158D	5/8" x 3/8"	10B2	70	25	34	35	6,5	10	20	0,046
TTO158T	5/8" x 3/8"	10B3	70	41,5	34	35	6,5	10	20	0,066
TTO1ASA35S	ASA35	06C.1	70	20	34	35	6,5	10	20	0,037
TTO1ASA35D	ASA35.2	06C.2	70	20	34	35	6,5	10	20	0,037
TTO1ASA35T	ASA35.3	06C.3	70	24,4	34	35	6,5	10	20	0,039
TTO1ASA40S	ASA40	08A.1	70	20	34	35	6,5	10	20	0,037
TTO1ASA40D	ASA40.2	08A.2	70	25	34	35	6,5	10	20	0,046
TTO1ASA40T	ASA40.3	08A.3	70	36	34	35	6,5	10	20	0,057
TTO258S	5/8" x 3/8"	10B1	90	22	44	46	8,5	14	22	0,067
TTO258D	5/8" x 3/8"	10B2	90	25	44	46	8,5	14	22	0,077
TTO258T	5/8" x 3/8"	10B3	90	41,5	44	46	8,5	14	22	0,109
TTO234S	3/4" x 7/16"	12B1	90	22	44	46	8,5	14	22	0,067
TTO234D	3/4" x 7/16"	12B2	90	30	44	46	8,5	14	22	0,092
TTO234T	3/4" x 7/16"	12B3	90	49	44	46	8,5	14	22	0,129
TTO21S	1" x 17 m\m	16B1	90	25	44	46	8,5	14	22	0,077
TTO21D	1" x 17 m\m	16B2	90	46	44	46	8,5	14	22	0,118
TTO2ASA50S	ASA50	10A.1	90	22	44	46	8,5	14	22	0,067
TTO2ASA50D	ASA50.2	10A.2	90	30	44	46	8,5	14	22	0,092
TTO2ASA50T	ASA50.3	10A.3	90	44,8	44	46	8,5	14	22	0,118
TTO2ASA60S	ASA60	12A.1	90	22	44	46	8,5	14	22	0,067
TTO2ASA60D	ASA60.2	12A.2	90	34,8	44	46	8,5	14	22	0,091
TTO2ASA60T	ASA60.3	12A.3	90	57,6	44	46	8,5	14	22	0,151
TTO31S	1" x 17 m\m	16B1	110	25	54	53	10,5	18,5	25	0,115
TTO31D	1" x 17 m\m	16B2	110	46	54	53	10,5	18,5	25	0,176
TTO31T	1" x 17 m\m	16B3	110	78	54	53	10,5	18,5	25	0,306
TTO3114S	1"1/4 x 3/4"	20B1	110	25	54	53	10,5	18,5	25	0,115
TTO3114D	1"1/4 x 3/4"	20B2	110	54	54	53	10,5	18,5	25	0,212
TTO3114T	1"1/4 x 3/4"	20B3	110	90	54	53	10,5	18,5	25	0,353
TTO3112S	1"1/2 x 1"	24B1	110	25	54	53	10,5	18,5	25	0,115
TTO3112D	1"1/2 x 1"	24B2	110	71	54	53	10,5	18,5	25	0,278
TTO3112T	1"1/2 x 1"	24B3	110	119	54	53	10,5	18,5	25	0,466
TTO3134S	1"3/4 x 1"1/4	28B1	110	29,5	54	53	10,5	18,5	25	0,116
TTO3134D	1"3/4 x 1"1/4	28B2	110	88	54	53	10,5	18,5	25	0,345
TTO32S	2" x 1"1/4	32B1	110	29,5	54	53	10,5	18,5	25	0,116
TTO32D	2" x 1"1/4	32B2	110	88	54	53	10,5	18,5	25	0,345
TTO3ASA80S	ASA80	16A.1	110	25	54	53	10,5	18,5	25	0,115
TTO3ASA80D	ASA80.2	16A.2	110	44,3	54	53	10,5	18,5	25	0,174
TTO3ASA80T	ASA80.3	16A.3	110	73,6	54	53	10,5	18,5	25	0,288
TTO3ASA100S	ASA100	20A.1	110	25	54	53	10,5	18,5	25	0,115
TTO3ASA100D	ASA100.2	20A.2	110	54	54	53	10,5	18,5	25	0,212
TTO3ASA100T	ASA100.3	20A.3	110	90	54	53	10,5	18,5	25	0,353
TTO3ASA120S	ASAS120	24A.1	110	25	54	53	10,5	18,5	25	0,115
TTO3ASA120D	ASA120.2	24A.2	110	70	54	53	10,5	18,5	25	0,274



ARC OVAL HEAD


To order the heads use the pertaining code.







Please add to the heads code the one in the pictures to get the pertaining tensioners spare parts.


cod + RIC (TA NTA)








COD	CHAIN PITCH		B	C	D	KG
TOTA138S	3/8" x 7/32"	06B1	20	39	35	0,085
TOTA138D	3/8" x 7/32"	06B2	20	39	35	0,085
TOTA112S	1/2" x 5/16"	08B1	20	39	35	0,085
TOTA112D	1/2" x 5/16"	08B2	20	39	35	0,085
TOTA1ASA35S	ASA35	06C.1	20	39	35	0,085
TOTA1ASA35D	ASA35.2	06C.2	20	39	35	0,085
TOTA1ASA40S	ASA40	08A.1	20	39	35	0,085
TOTA1ASA40D	ASA40.2	08A.2	25	39	35	0,106
TOTA258S	5/8" x 3/8"	10B1	22	39	46	0,093
TOTA258D	5/8" x 3/8"	10B2	25	39	46	0,106
TOTA234S	3/4" x 7/16"	12B1	22	39	46	0,093
TOTA234D	3/4" x 7/16"	12B2	30	39	46	0,127
TOTA2ASA50S	ASA50	10A.1	22	39	46	0,093
TOTA2ASA50D	ASA50.2	10A.2	30	39	46	0,127
TOTA2ASA60S	ASA60	12A.1	22	39	46	0,093
TOTA31S	1" x 17 m\m	16B1	25	39	53	0,106
TOTA3114S	1"1/4 x 3/4"	20B1	25	39	53	0,106
TOTA3112S	1"1/2 x 1"	24B1	25	39	53	0,106
TOTA3ASA80S	ASA80	16A.1	25	39	53	0,106
TOTA3ASA100S	ASA100	20A.1	25	39	53	0,106
TOTA3ASA120S	ASAS120	24A.1	25	39	53	0,106



ARC ROUND HEAD

To order the heads use the pertaining code.






Please add to the heads code the one in the pictures to get the pertaining tensioners spare parts.

cod + RIC (TA NTA)





COD	CHAIN PITCH		B	C	D	KG
TTTA138S	3/8" x 7/32"	06B1	20	34	35	0,085
TTTA138D	3/8" x 7/32"	06B2	20	34	35	0,085
TTTA138T	3/8" x 7/32"	06B3	26	34	35	0,110
TTTA112S	1/2" x 5/16"	08B1	20	34	35	0,085
TTTA112D	1/2" x 5/16"	08B2	20	34	35	0,085
TTTA112T	1/2" x 5/16"	08B3	34,5	34	35	0,146
TTTA1ASA35S	ASA35	06C.1	20	34	35	0,085
TTTA1ASA35D	ASA35.2	06C.2	20	34	35	0,085
TTTA1ASA35T	ASA35.3	06C.3	24,4	34	35	0,104
TTTA1ASA40S	ASA40	08A.1	20	34	35	0,085
TTTA1ASA40D	ASA40.2	08A.2	25	34	35	0,106
TTTA1ASA40T	ASA40.3	08A.3	36	34	35	0,153
TTTA258S	5/8" x 3/8"	10B1	22	44	46	0,093
TTTA258D	5/8" x 3/8"	10B2	25	44	46	0,106
TTTA258T	5/8" x 3/8"	10B3	41,5	44	46	0,176
TTTA234S	3/4" x 7/16"	12B1	22	44	46	0,093
TTTA234D	3/4" x 7/16"	12B2	30	44	46	0,127
TTTA234T	3/4" x 7/16"	12B3	49	44	46	0,208
TTTA2ASA50S	ASA50	10A.1	22	44	46	0,093
TTTA2ASA50D	ASA50.2	10A.2	30	44	46	0,127
TTTA2ASA50T	ASA50.3	10A.3	44,8	44	46	0,190
TTTA2ASA60S	ASA60	12A.1	22	44	46	0,093
TTTA2ASA60D	ASA60.2	12A.2	34,8	44	46	0,148
TTTA2ASA60T	ASA60.3	12A.3	57,6	44	46	0,245
TTTA31S	1" x 17 m\m	16B1	25	54	53	0,106
TTTA31D	1" x 17 m\m	16B2	46	54	53	0,191
TTTA31T	1" x 17 m\m	16B3	78	54	53	0,331
TTTA3114S	1"1/4 x 3/4"	20B1	25	54	53	0,106
TTTA3114D	1"1/4 x 3/4"	20B2	54	54	53	0,229
TTTA3114T	1"1/4 x 3/4"	20B3	90	54	53	0,382
TTTA3112S	1"1/2 x 1"	24B1	25	54	53	0,106
TTTA3112D	1"1/2 x 1"	24B2	71	54	53	0,301
TTTA3112T	1"1/2 x 1"	24B3	119	54	53	0,505
TTTA3134S	1"3/4 x 1"1/4	28B1	29,5	54	53	0,125
TTTA32S	2" x 1"1/4	32B1	29,5	54	53	0,125
TTTA3ASA80S	ASA80	16A.1	25	54	53	0,106
TTTA3ASA80D	ASA80.2	16A.2	44,3	54	53	0,188
TTTA3ASA80T	ASA80.3	16A.3	73,6	54	53	0,312
TTTA3ASA100S	ASA100	20A.1	25	54	53	0,106
TTTA3ASA100D	ASA100.2	20A.2	54	54	53	0,229
TTTA3ASA100T	ASA100.3	20A.3	90	54	53	0,382
TTTA3ASA120S	ASAS120	24A.1	25	54	53	0,106
TTTA3ASA120D	ASA120.2	24A.2	70	54	53	0,297